

In the claims:

For the Examiner's convenience, all pending claims are presented below with changes shown in accordance with the mandatory amendment format.

1. (Currently Amended) A method of translating instructions, said method comprising:

translating a first block of instructions executable in a first processor architecture into a translated first block of instructions executable in a second processor architecture, said translated first block of instructions operating with a stack of data entry positions;

during the translating, generating an expected Top of Stack (TOS) position in said stack for said first block of instructions; and

during the translating, adding at least one instruction to said translated first block of instructions to determine if said first expected TOS is equal to an actual TOS position in said stack at a time of executing said translated first block of instructions; and

executing said translated first block of instructions without restarting the translating, wherein during the executing said at least one instruction to branch[[es]] to correction code if said expected TOS is not equal to said actual TOS, said correction code to generate a delta of said expected TOS and said actual TOS and to adjust said stack for said first block of instructions by the said delta at the time of executing said translated first block of instructions;

wherein said translated first block of instructions to continue executing after said at least one instruction adjusts said stack.

2.-3. (Canceled)

4. (Previously Presented) The method as claimed in claim 1, said method further comprising:

determining if execution of instructions in said first block of instructions changes the actual TOS.

5. (Previously Presented) The method as claimed in claim 4, said method further comprising:

in response to determining execution of instructions in said first block of instructions changes the actual TOS, adding an instruction to an end of the first block of instructions to update the actual TOS.

6. (Currently Amended) A computer-readable medium having stored thereon a set of instructions to translate instructions, said set of instructions, which when executed by a processor, cause said processor to perform a method comprising:

translating a first block of instructions executable in a first processor architecture into a translated first block of instructions executable in a second processor architecture, said translated first block of instructions operating with a stack of data entry positions;

during the translating, generating an expected Top of Stack (TOS) position in said stack for said first block of instructions; ~~and~~

during the translating, adding at least one instruction to said translated first block of instructions to determine if said first expected TOS is equal to an actual TOS position in said stack at a time of executing said translated first block of instructions; and

executing said translated first block of instructions without restarting the translating, wherein during the executing said at least one instruction to branch[[es]] to

Docket No.: 042390.P7512
Application No.: 09/676,175

correction code if said expected TOS is not equal to said actual TOS, said correction code to generate a delta of said expected TOS and said actual TOS and to adjust said stack for said first block of instructions by the said delta at the time of executing said translated first block of instructions;

wherein said translated first block of instructions to continue executing after said at least one instruction adjusts said stack..

7.-8. (Canceled)

9. (Previously Presented) The computer-readable medium as claimed in claim 6, wherein said set of instructions further includes additional instructions, which when executed by said processor, cause said processor to perform said method further comprising:

determining if execution of instructions in said first block of instructions changes the actual TOS.

10. (Previously Presented) The computer-readable medium as claimed in claim 9, wherein said set of instructions further includes additional instructions, which when executed by said processor, cause said processor to perform said method further comprising:

in response to determining execution of instructions in said first block of instructions changes the actual TOS, adding an instruction to an end of the first block of instructions to update the actual TOS.

11. (Currently Amended) A system comprising:

a first unit of logic to translate a first block of instructions executable in a first processor architecture into a translated first block of instructions executable in a second processor architecture, said translated first block of instructions operating with a stack of data entry positions; and

a second unit of logic to generate an expected Top of Stack (TOS) position in said stack for said first block of instructions, wherein said second unit of logic further adds at least one instruction to said translated first block of instructions to determine if said first expected TOS is equal to an actual TOS at a time of executing said translated first block of instructions; and

a third unit of logic to execute said translated first block of instructions without the first unit of logic restarting the translation, wherein during the execution said at least one instruction to branch[[es]] to correction code if said expected TOS is not equal to said actual TOS, said correction code to generate a delta of said expected TOS and said actual TOS and to adjust said stack for said first block of instructions by the said delta at the time of executing said translated first block of instructions;

wherein said translated first block of instructions to continue executing after said at least one instruction adjusts said stack.

12.-13. (Canceled)

14. (Previously Presented) The system as claimed in claim 11, wherein said second unit of logic determines if execution of instructions in said first block of instructions changes the actual TOS.

15. (Previously Presented) The system as claimed in claim 14, wherein said second unit of logic, in response to determining execution of instructions in said first block of instructions changes the actual TOS, adds an instruction to an end of the first block of instructions to update the actual TOS.
16. (Previously Presented) The method as claimed in claim 1, wherein to adjust said stack for said first block of code by the delta includes rotating said stack by the delta.
17. (Previously Presented) The computer-readable medium as claimed in claim 6, wherein to adjust said stack for said first block of code by the delta includes rotating said stack by the delta.
18. (Previously Presented) The system as claimed in claim 11, wherein to adjust said stack for said first block of code by the delta includes rotating said stack by the delta.
19. (Previously Presented) The method as claimed in claim 5, wherein to update the actual TOS results in an expected TOS corresponding to a second block of instructions matching the actual TOS, said second block of instructions following said first block of instructions in execution and further operating with said stack.
20. (Previously Presented) The computer-readable medium as claimed in claim 10, wherein to update the actual TOS results in an expected TOS corresponding to a second block of instructions matching the actual TOS, said second block of instructions following said first block of instructions in execution and further operating with said stack.

21. (Previously Presented) The system as claimed in claim 15, wherein to update the actual TOS results in an expected TOS corresponding to a second block of instructions matching the actual TOS, said second block of instructions following said first block of instructions in execution and further operating with said stack.

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record.**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

☒ **BLACK BORDERS**

☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**

☐ **FADED TEXT OR DRAWING**

☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**

☐ **SKEWED/SLANTED IMAGES**

☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**

☐ **GRAY SCALE DOCUMENTS**

☒ **LINES OR MARKS ON ORIGINAL DOCUMENT**

☒ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**

☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.